




# Universal Tin Roof Mount



Hopergy's Universal Tin Roof Mount is suitable for almost any flat roof.

Hopergy's Universal Tin Roof Mount is suitable for most roof types. It provides a simple and cost-effective solution for mounting all framed and unframed solar panels currently on the market. Hopergy's wide range of mounting brackets provide for fast and secure fixing

to sheet metal, purlins or rafters and for different roofing types at angles from 10 to 60°. To simplify connection of support rails to

brackets, Hopergy's rails are designed to allow fixing nuts to be simply swivelled into the rails.

For convenience of installation, Hopergy has developed innovative solutions that provide strong and stable mounting for the following proprietary tin roof profiles.



HOP TRB 01

Tin Bracket Interface #01



HOP TRB 02

Tin Bracket Interface #02



HOP TRB 03

Tin Bracket Interface #03



## Hopergy Universal Tin Roof Mount Options



HOP TRB 04

Tin Bracket Interface #04



HOP TRB 05

Tin Bracket Interface #05




HOP TRB 06

Tin Bracket Interface #06

# HOP COB

## Lysaght Custom Orb Interface


Hopergy's HOP-COB is a mounting solution for Lysaght Custom Orb roofs. The system can be used with or without rails. Panels are fixed directly to mounting brackets fixed into purlins or rafters. The solution is compatible with the HOP Tilt-Leg system, allowing quick and easy tilting from 10 to 60 degrees.



# HOP KLK

## Kliplok Interface


Hopergy's HOP-LOK is a mounting solution for Lysaght Klip-Lok and Stramit Speed Deck Ultra roofs. Provide a solid mount that doesn't penetrate the roof surface. A highly durable EPDM rubber cushion in the clamp prevents corrosion at the roof interface. The solution is compatible with the HOP Tilt-Leg system, allowing quick and easy tilting from 10 to 60 degrees.



# HOP TRK

## Lysaght Trimdek Interface

Hopergy's HOP-TRK is a mounting solution for Lysaght Trimdek roofs. The system doesn't use rails. Panels are fixed directly to mounting brackets fixed into purlins or rafters. The solution is compatible with the HOP Tilt-Leg system, allowing quick and easy tilting from 10 to 60 degrees.



## Hopergy Railless Tin Mount Options

For convenience of installation, Hopergy has developed innovative solutions that provide strong and stable mounting for the following proprietary tin roof profiles. These systems can be used with or without rails.