

Smart Power

On The Go



NES500

Portable Outdoor Power Station

518Wh High Capacity 500W AC Output

Multiple Output Ports



Compact and Lightweight

The ergonomic design with the rubber handle offers one hand carry with a comfortable grip.

Dimensions:



Weight: 5.65kg (12.46lbs)






Backlit Realtime LCD Display Easily operable in the dark or at night.









Pragmatic Safety Designs



Easy-Carry Solid Handle

Ensures a firm grip constructed from carbon steel and wrapped with rubber




Main Switch
For controlling the main power



Output Switches

For controlling the respective output ports





ABS Fireproof Shell

Guarantees an excellent impact, corrosion and high temperature resistance



Cooling Fans on Both Sides

Enable a quick heat dissipation with stability guaranteed



Multiple Charging Ways Available



100W Solar Panel min. 5.5h Charging Time

NITECORE FSP100 / FSP100W Solar Panel Recommended



Included Car Charger min. 10.5h Charging Time



Included AC Adapter min. 10.5h Charging Time

^{*} The power efficiency of the solar panels may vary depending on the sunlight intensity, temperature, etc.



What's in the Box











NES500 Wall Charger

Car Charger

User Manual







Specifications

Model NES500

Cell 18650 Li-ion Batteries

Capacity 518Wh (10.8V, 48Ah) (144000mAh)

DC Input *14.4V-26V, up to 10A (160W max)

AC Output 220V Version: 220V~2.27A 50Hz, Pure Sine Wave, 500W, 1000W surge

110V Version: 110V~4.54A 60Hz, Pure Sine Wave, 500W, 1000W surge

Cig Lighter Output 12V=10A (120W max)

USB Output 5V=2.4A (12W max each port)

USB-C Output 5V-3A / 9V-3A / 12V-3A / 15V-3A / 20V-3A (60W max)

Operating Temperature -10~40°C (14~104°F)

Dimensions 262mm × 237mm × 154mm (10.31" × 9.33" × 6.06")

Weight 5.65kg (12.46lbs)

Accessories AC Adapter, Power Cord, Car Charger

* It is compatible with the 12V cigarette lighter only when charged via the car charger.